

# WOOD FLOOR BUSINESS

Empowering Wood Flooring Professionals

**30**  
YEARS  
F/M18

## Wood Flooring's Next Generation

From Prison to Pro  
Wood Floor Skills Then & Now  
Adhesives, Fillers + Finishes

# PF

PRODUCT FOCUS

# ADHESIVES, FILLERS + FINISHES

## ADHESIVES

### Advanced Adhesive Technologies

AAT-560 Professional Urethane Wood Flooring Adhesive contains no isocyanates, the chemical in other urethanes that can etch floor finishes, the company says. When used with the company's clip-on blade, 560 provides a moisture barrier of up to 10 pounds per 1,000 square feet per 24 hours, as well as 88% in-situ RH, the company adds. AAT-560 is EC-1 certified and qualifies for LEED credits. [aatglue.com](http://aatglue.com)



SEE OUR ADS ON PAGES 71, 84

### Bona US

Bona's silane-based adhesives are unique with their carefully weighted combination of elasticity and strength, specially developed and tested by Bona's research and development team, the company says. [bona.com](http://bona.com)



### Bostik Inc.

Bostik's Climb is a one-component, easy-gunning, non-sag adhesive specifically formulated for hardwood flooring, planks and blocks on interior, above-grade walls and installation of stair-tread caps. Applications include solid or engineered hardwood or bamboo installed on plywood, OSB or existing wood floor treads and risers, as well as drywall, brick, cinderblock or concrete for interior walls. [bostik.com/us](http://bostik.com/us)



### DriTac Flooring Products LLC

DriTac 7800 Supreme Green is a five-in-one, "green" sound/moisture control hybrid polymer wood flooring adhesive that isolates old cutback adhesive residue and provides crack suppression capabilities. It offers unlimited subfloor moisture control, requires no testing and is easy to clean off surfaces wet or dry, the company says. [dritac.com](http://dritac.com)



### Cal-Flor Accessory Systems

Cal-Flor's Eurobond D3 Glue for floating floors is FloorScore-certified. It uses an American-made, high-strength, cross-linking formula that provides flexibility and a stronger, longer-lasting bond, the company says, adding that it exceeds European D3 and US Type II standards. It is effective against water damage and is specially formulated for click and tongue-and-groove floors. [cal-flor.com](http://cal-flor.com)



### Epic Flooring

Epic Flooring has developed two low-VOC polyurethane adhesives for solid plank, bamboo and engineered flooring. Tradesman Pro is a solvent-free adhesive with high elasticity for easy spreading and excellent green-grab, the company says. E-600 is an all-in-one adhesive and moisture retarder capable of adhesion to concrete substrates with up to 90% RH. [epicflooringadhesives.com](http://epicflooringadhesives.com)





## Garrison Collection, The

The Garrison Collection's Infinity Green is an easy-to-clean, five-in-one hybrid polymer wood flooring adhesive and sealer system. This innovative, VOC- and solvent-free adhesive provides installers with unlimited moisture control, a lifetime moisture warranty, sound reduction (rated 74 for IIC and 67 for STC), crack suppression and the ability to isolate old cutback adhesive, the company says. [thegarrisoncollection.com](http://thegarrisoncollection.com)

## Jowat Corporation

Jowatherm-Reaktant PUR hot melt adhesives for manufacturing engineered hardwood flooring can be applied with nozzles (beads) or rollers (closed film) and provides high green-strength, the company says. This low-viscosity PUR hot-melt can be applied on a roller coater or in combination with a moisture-resistant PVAc dispersion adhesive using a nozzle applicator. [jowat.com](http://jowat.com)



## Loba-Wakol LLC

Wakol PU-280 is the fastest single-component moisture barrier and surface hardener on the market, the company says. PU-280 has no mixing requirement, and the company's MS adhesives can be installed directly on top of PU-280 for a best-in-class installation, the company adds. [loba-wakol.com](http://loba-wakol.com)



## MAPEI Corp.

Planiseal PMB is a one-component, moisture-curing polyurethane compound designed to provide moisture vapor emission protection for wood and bamboo flooring on damp concrete substrates. It also serves as a bonding agent and moisture-barrier system for self-leveling underlayments when applied in a double-coat method with dry sand. [mapei.com](http://mapei.com)



## National Hardwood Flooring & Moulding

Castle Adhesive CX-5000 Hybrid is a low-VOC, low-odor urethane moisture barrier and wood flooring adhesive for use with engineered, parquet and laminate flooring over concrete. It provides great trowel ridge holding and is non-slumping. It offers superior product elasticity to cover small cracks, the company says, adding that floors on top of CX-5000 have excellent acoustic properties. [nationalhardwood.com](http://nationalhardwood.com)



## Roberts

Roberts 1407 is an acrylic urethane adhesive designed for the installation of engineered and parquet wood flooring. It features a smooth and easy-to-trowel formula, and is ideal for cork underlayment. The product comes in multiple convenient cartridge sizes. [robertsconsolidated.com](http://robertsconsolidated.com)



## Pallmann

Pallmann P5 is a solvent- and water-free, flexible one-component, moisture-cured STP (silane terminated prepolymer) hybrid adhesive that combines the powerful flexibility of a polyurethane adhesive with the advantages of modern modified-silane technology, the company says. [pallmann.us](http://pallmann.us)



## SEE OUR ADS ON PAGES 63, 83

## Stauf USA LLC

Stauf PUK 455 is a special formulation, single-component adhesive for wide plank flooring. PUK 455 has a shear strength of over 680 psi, meaning it is able to stabilize and control common cupping problems associated with wide-width solid flooring, the company says. [staufusa.com](http://staufusa.com)

